









***(Dr) Col Anil Dhall, Sena Medal
MD ,DM, FACC, FSCAI
Director & Head
Department of Cardiology
Artemis Health Institute
Gurgaon***







MIX.1200744584774

MR.K.CHANDRA

M 81 25417

Jan 19 2008

Se: 3

Series: 266 Image Bordering No cut

DFOV 27.6cm
STND

[R]
R
1
5
5

L
1
4
5

50
mm

No VOI
kv 120
mA 320
Rot 0.80s/HE+ 18.8mm/rot
1.2mm 0.938:1 /1.2sp
Tilt: 0.0

SP: mm 03:20:58 PM
ST: mm W = 4095 L = 2048
W: 256 C: 128


LightSpeed16



Series: 266416 No bordering No cut

DFOV 27.6cm
STND

[PRF]
P
R
I



No VOI



[ALH]

SP: mm
ST: mm W = 4095 L = 2048
W: 650 C: 100

MIX.1200744588.4174

MR.K.CHANDRA

Series: 266 Image: 2298
Volume Rendering No cut

DFOV 27.6cm
STND

[PLF]

P
L
I



A
R
S

[ARH]

50
mm

No VOI

SP: mm
ST: mm W = 4095 L = 2048
MM: 356 C: 128

LightSpeed16
(c)09

MIX.1200744588.4174


MR.K.CHANDRA

Series: 266 [img] 2299
Volume Rendering No cut

DFOV 27.6cm
STND

[PHR]

P
S
R



50
mm

[AFL]

No VOI

SP: mm
ST: mm W = 4095 L = 2048

LightSpeed16

Series: 26641101200
Volume Rendering No cut

DFOV 27.6cm
STND

[RFP]

R
I
P



L
S
A

[LHA]

50
mm

No VOI

SP: mm
ST: mm W = 4095 L = 2048
W: 256 C: 100

LightSpeed16
[LHA]

Series: 266 Image: 2301 Volume Rendering No cut

DFOV 27.6cm
STND

[RFP]

R
I
P

L
S
A

[LHA]

50
mm

No VOI

SP: mm
ST: mm W = 4095 L = 2048
MM: 256 C: 128

LightSpeed16
/ct00




Series: 266 Image Rendering No cut

DFOV 27.6cm
STND

[RPH]

R
P
S



L
A
I


[LAF]

50
mm

No VOI

SP: mm
ST: mm W = 4095 L = 2048
W: 256 C: 128

LightSpeed16



Series: 266 [img: 2300] Volume Rendering No cut

DFOV 27.6cm
STND

[LAH]

L
A
S

R
P
I

[RPF]

50
mm

No VOI

SP: mm
ST: mm W = 4095 L = 2048
W: 650 C: 100

LightSpeed16



Series: 266 [img: 2307] No cut

DFOV 27.6cm
STND

[HPL]

S
P
L



R
A

[FAR]

50
mm

No VOI

MIX: 1200744588.4174

Ex: 25417
Se: 3
HD MF No cut

MR.K.CHANDRA
M 31 25417
Jan 19 2008

Series: 266 Img: 2308


DFOV 35.9cm
STND

[R]

R
1
9
0



L
1
7
9



No VOI
kw 120
mA 320
Rot 0.80s/HE+ 18.8mm/rot
1.2mm 0.958:1 /1.2sp
Tilt: 0.0
03:20:58 PM
W = 370 L = 283

SP: mm
ST: mm
111 070 0 000

LightSpeed16

Series: 266 Img: 2309

HD MP No cut

DFOV 23.4cm
STND

[R]

R
1
2
2

L
1
1
2

[L]

50
mm

No VOI

SP: mm
ST: mm
W: 370 C: 283

W = 370 L = 283

LightSpeed16
/ct00



MIX.1200744588.4174

MR.K.CHANDRA

Series: 266 [img: 2803] Volume Rendering No cut

DFOV 27.6cm
STND

[RAF]

R
A
I

L
P
S

[LPH]

mm

No VOI

SP: mm
ST: mm W = 4095 L = 2048

LightSpeed16



HD MP No cut

DFOV 23.4cm
STND

[PR]

P
R

A
L

50

[AL]

mm

No VOI

SP: mm
ST: mm

W = 370 L = 283



MIX.1200744588.4174

MR.K.CHANDRA

Series: 266 lmg: 2311

HD MP No cut

DFOV 23.4cm
STND

[PRH]

P
R
S

A
L
I

50 [ALF]

mm

No VOI

SP: mm

ST: mm


W = 370 L = 283

W = 370 L = 283

[ESP]

LightSpeed16

(100)



MIX.1200744588.4174

MR.K.CHANDRA

Series: 266 Img: 2312

HD MP No cut

DFOV 23.4cm
STND

[RHP]

ROR

LIA

50

[LFA]

mm

No VOI

SP: mm

ST: mm

W = 371 L = 258

W = 371 L = 258

LightSpeed16

(10)



MIX.1200744588.4174

MR.K.CHANDRA

Series: 266 Img: 2313

HD MF No cut

DFOV 23.4cm
STND

[RFA]

R
I
A



50

[LHP]

mm

No VOI

SP: mm

ST: mm

W: 370 C: 300

W = 370 L = 283

LightSpeed16

Series: 266 lmg: 2314

HD MP No cut

DFOV 23.4cm
STND

[L]

L
1
1
2

R
1
2
2

50 [R]
mm

No VOI

SP: mm

ST: mm

W = 370 L = 283

W = 370 L = 283

LightSpeed16

(10)



MIX.1200744588.4174

MR.K.CHANDRA

Series: 266 Img: 2315

HD MP No cut

DFOV: 23.4cm
STND

[AL]

A
L

P
R

50 [PR]

mm

No VOI

SP: mm

ST: mm

W: 370 L: 283

W = 370 L = 283

LightSpeed16

Series: 266 [img: 2504] Rendering: No cut

DFOV 27.6cm
STND

[RPF]

R
P
I

L
A
S

[LAH]

50
mm

No VOI

SP: mm
ST: mm W = 4095 L = 2048



A: 16.3

DFOV 34.0cm
STMD

R
1
7
5

L
1
6
5

15.2/MP



MIX.1200744588.4174

MR.K.CHANDRA

Series: 266 Img: 2328

HD MP No cut

DFOV 24.0cm
STMD

[R]

R
1
2
5

L
1
1
5

50 [L]

mm

No VOI

SP: mm

ST: mm

W: 380 C: 380

W = 380 L = 266

LightSpeed16

(12)



Series: 266 Img: 2332

HD MP No cut

DFOV 24.0cm
STMD

[LPH]

L
P
S

R
A
I

50

[RAF]

mm

No VOI

SP: mm
ST: mm

W = 330 L = 266

LightSpeed16



Series: 266 Img: 2329

HD MP No cut

DFOV 24.0cm
STMD

[PR]

P
R

A
L

50

[AL]

mm

No VOI

SP: mm
ST: mm

W = 330 L = 266

LightSpeed16



HD MP No cut

DFOV 24.0cm
STND

[PRH]

P
R
S

A
L
I

50

[ALF]

mm

No VOI

SP: mm
ST: mm

W = 380 L = 266



MIX.1200744588.4174

MR.K.CHANDRA

Series: 266 Img: 2331

HD MP No cut

DFOV 24.0cm
STND

[RFA]

R
I
A

L
P
A

50

[LHP]

mm

No 300


SP: mm


ST: mm


W: 330 C: 330


W = 330 L = 266


LightSpeed16


































CHANDRA K MR, 81/M^{www}
PTA 390


DR ANIL DHALL
Max Heart And Vascular Institute
20060414
100208



Lao - 1 deg, Caud - 4 deg
Zoom: 99%





Run: 22 Of 32
Frame: 10 Of 10





S





CHANDRA K MR. 81/M^{mm}

PTA 390

DR ANIL DHALL
Max Heart And Vascular Institute
20080414
100208



Rao - 23 deg ,Caud - 6 deg



Zoom: 99%

SoftLink
International

Run 3 Of 32
Frame 1 Of 14







CHANDRA K MR. 61/M^{www}

PTA 390


DR ANIL DHALL
Max Heart And Vascular Institute
20080414
100208

Lao - 3 deg ,Caud - 4 deg

Zoom: 99%

SoftLink
International

Run 7 Of 32
Frame 1 Of 39



CHANDRA K MR. 81/M^{mm}

PTA 390

DR ANIL DHALL
Max Heart And Vascular Institute
20080414
100208

Lao - 3 deg ,Caud - 4 deg

Zoom: 99%

SoftLink
International

Run 10 Of 32
Frame 1 Of 33

CHANDRA K MR. 81/M^{mm}

PTA 390

DR ANIL DHALL
Max Heart And Vascular Institute
20080414
100208

Lao - 3 deg ,Caud - 4 deg

Zoom: 99%

SoftLink
International

Run 11 Of 32
Frame 1 Of 28

CHANDRA K MR. 81/M^{mm}

PTA 390

DR ANIL DHALL

Max Heart And Vascular Institute

20080414

100208

Lao - 3 deg ,Caud - 4 deg

Zoom: 99%

SoftLink
International

Run 6 Of 32
Frame 1 Of 8

CHANDRA K MR. 81/M^{mm}

PTA 390

DR ANIL DHALL
Max Heart And Vascular Institute
20080414
100208

Rao - 16 deg ,Caud - 4 deg

Zoom: 99%

SoftLink
International

Run 14 Of 32
Frame 1 Of 90

CHANDRA K MR. 81/M^{mm}

PTA 390

DR ANIL DHALL
Max Heart And Vascular Institute
20080414
100208

Rao - 10 deg ,Caud - 4 deg

Zoom: 99%

SoftLink
International

Run 15 Of 32
Frame 1 Of 321

CHANDRA K MR. 81/M^{mm}

PTA 390


DR ANIL DHALL
Max Heart And Vascular Institute
20080414
100208

Rao - 0 deg ,Caud - 4 deg

Zoom: 99%



Run 16 Of 32
Frame 1 Of 21



CHANDRA K MR. 81/M^{mm}

PTA 390

DR ANIL DHALL

Max Heart And Vascular Institute

20080414

100208

Lao - 1 deg ,Caud - 4 deg

Zoom: 99%

SoftLink
International

Run 24 Of 32

Frame 1 Of 32

CHANDRA K MR. 81/M^{mm}

PTA 390

DR ANIL DHALL

Max Heart And Vascular Institute

20080414

100208



Lao - 1 deg ,Caud - 4 deg


Zoom: 99%

SoftLink
International

Run 26 Of 32

Frame 1 Of 16





CHANDRA K MR: 81/11/1972

PTA 390

DR ANIL DHALL
Max Heart And Vascular Institute

20080414

100208


Lao - 1 deg , Caud - 4 deg

Zoom: 99%

SoftLink
International

Run 32 Of 32
Frame 1 Of 122





CHANDRA K MR. 61/M^{www}
M
PTA 390 II


DR ANIL DHALL
Max Heart And Vascular Institute
20080423
120603

Rao - 0 deg ,Caud - 5 deg

Zoom: 99%

SoftLink
International

Run 2 Of 34
Frame 1 Of 84



CHANDRA K MR. 61/M^{www}
M
PTA 390 II


DR ANIL DHALL
Max Heart And Vascular Institute
20080423
120603

Rao - 0 deg ,Caud - 5 deg

Zoom: 99%

SoftLink
International

Run 3 Of 34
Frame 1 Of 25



CHANDRA K MR. 81/M^{www}
M
PTA 390 II


DR ANIL DHALL
Max Heart And Vascular Institute
20080423
120603

Rao - 0 deg ,Caud - 5 deg

Zoom: 99%

SoftLink
International

Run 8 Of 34
Frame 1 Of 96



CHANDRA K MR. 61/M^{www}
M
PTA 390 II

DR ANIL DHALL
Max Heart And Vascular Institute
20080423
120603

Rao - 0 deg ,Caud - 5 deg

Zoom: 99%

SoftLink
International

Run 9 Of 34
Frame 1 Of 81

CHANDRA K MR. 61/M^{www}
M
PTA 390 II

DR ANIL DHALL
Max Heart And Vascular Institute
20080423
120603

Rao - 0 deg ,Caud - 5 deg

Zoom: 99%

SoftLink
International

Run 10 Of 34
Frame 1 Of 29

CHANDRA K MR. 81/M^{mm}
M
PTA 390 II


DR ANIL DHALL
Max Heart And Vascular Institute
20080423
120603

Rao - 0 deg ,Caud - 5 deg

Zoom: 99%


SoftLink
International

Run 13 Of 34
Frame 1 Of 169



CHANDRA K MR. 81/M^{www}
M
PTA 390 II

DR ANIL DHALL
Max Heart And Vascular Institute
20080423
120603



Rao - 0 deg ,Caud - 5 deg


Zoom: 99%

SoftLink
International

Run 19 Of 34
Frame 1 Of 83

CHANDRA K MR. 81/M^{www}
M
PTA 390 II

DR ANIL DHALL
Max Heart And Vascular Institute
20080423
120603



Rao - 0 deg ,Caud - 5 deg

Zoom: 99%

SoftLink
International

Run 20 Of 34
Frame 1 Of 37

CHANDRA K MR. 81/M^{mm}
M
PTA 390 II

DR ANIL DHALL
Max Heart And Vascular Institute
20080423
120603

Rao - 0 deg ,Caud - 5 deg

Zoom: 99%

SoftLink
International

Run 22 Of 34
Frame 1 Of 42

CHANDRA K MR. 81/M^{mm}
M
PTA 390 II

DR ANIL DHALL
Max Heart And Vascular Institute
20080423
120603

Rao - 0 deg ,Caud - 5 deg

Zoom: 99%

SoftLink
International

Run 23 Of 34
Frame 1 Of 125

CHANDRA K MR. 81/M^{mm}
M
PTA 390 II

DR ANIL DHALL
Max Heart And Vascular Institute
20080423
120603

Rao - 0 deg ,Caud - 5 deg

Zoom: 99%

SoftLink
International

Run 27 Of 34
Frame 1 Of 23

CHANDRA K MR. 81/M^{XXXX}
M
PTA 390 II


DR ANIL DHALL
Max Heart And Vascular Institute
20080423
120603

Rao - 0 deg ,Caud - 5 deg


Zoom: 99%

SoftLink
International

Run 32 Of 34
Frame 1 Of 131







Series: 266 Img: 2316

HD MP No cut

DEFOV 23.4cm
STND

[LPH]

L
P
S

R
A
I

50

[RAF]

mm

No VOI

SP: mm

ST: mm

MM: 380 C: 266

W = 380 L = 266

[RAI]

LightSpeed16

/ct00

